
entente

May 01, 2020

Contents

1	entente package	1
2	Indices and tables	5
	Python Module Index	7
	Index	9

CHAPTER 1

entente package

1.1 Subpackages

1.1.1 entente.landmarks package

Submodules

`entente.landmarks.landmark_composite_recipe module`

`entente.landmarks.landmark_compositor module`

`class entente.landmarks.landmark_compositor.LandmarkCompositor(base_mesh,
land-
mark_names)`

Bases: `object`

A tool for compositing landmarks from several examples in relation to a base mesh. Each example is projected onto the base mesh, then the points are averaged.

The tool takes as input:

- A base mesh
- Several examples
 - Mesh (in correspondence with the base mesh)
 - xyz coordinates for one or more landmarks

And will output:

- The xyz coordinates of the composite landmark on the base mesh

`add_example(mesh, landmarks)`

`result`

[entente.landmarks.landmarker module](#)

Functions for transferring landmarks from one mesh to another.

This module requires libspatialindex and rtree. See note in *trimesh_search.py*.

class `entente.landmarks.landmarker.Landmarker(source_mesh, landmarks)`

Bases: object

An object which encapsulates a source mesh and a set of landmarks on that mesh. Its function is to transfer those landmarks onto a new mesh.

The resultant landmarks will always be on or near the surface of the mesh.

Parameters

- **source_mesh** (`lace.mesh.Mesh`) – The source mesh
- **landmarks** (`dict`) – A mapping of landmark names to the points, which are 3×1 arraylike objects.

classmethod `load(source_mesh_path, landmark_path)`

Create a landmarker using the given paths to a source mesh and landmarks.

Parameters

- **source_mesh_path** (`str`) – File path to the source mesh.
- **landmark_path** (`str`) – File path to a meshlab .pp file containing the landmark points.

transfer_landmarks_onto(target)

Transfer landmarks onto the given target mesh, which must be in the same topology as the source mesh.

Parameters `target` (`lace.mesh.Mesh`) – Target mesh

Returns A mapping of landmark names to a np.ndarray with shape 3×1 .

Return type dict

[entente.landmarks.symmetrize_landmarks module](#)

1.2 Submodules

1.2.1 entente.cli module

1.2.2 entente.composite module

`entente.composite.composite_meshes(mesh_paths)`

Create a composite as a vertex-wise average of several meshes in correspondence. Faces, groups, and other attributes are loaded from the first mesh given.

Parameters `mesh_paths` (`list`) – Paths of the meshes to average.

Returns The composite mesh.

Return type `lace.mesh.Mesh`

1.2.3 entente.equality module

Utilities related to mesh equality.

`entente.equality.attr_has_same_shape(first_obj, second_obj, attr)`

Given two objects, check if the given arraylike attributes of those objects have the same shape. If one object has an attribute value of None, the other must too.

Parameters

- **first_obj** (*obj*) – A object with an arraylike *attr* attribute.
- **second_obj** (*obj*) – Another object with an arraylike *attr* attribute.
- **attr** (*str*) – The name of the attribute to test.

Returns *True* if attributes are the same shape

Return type bool

`entente.equality.attr_is_equal(first_obj, second_obj, attr)`

Given two objects, check if the given arraylike attributes of those objects are equal. If one object has an attribute value of None, the other must too.

Parameters

- **first_obj** (*obj*) – A object with an arraylike *attr* attribute.
- **second_obj** (*obj*) – Another object with an arraylike *attr* attribute.
- **attr** (*str*) – The name of the attribute to test.

Returns *True* if attributes are equal

Return type bool

`entente.equality.have_same_topology(first_mesh, second_mesh)`

Given two meshes, check if they have the same vertex count and same faces. In other words, check if they have the same topology.

Parameters

- **first_mesh** (*lace.mesh.Mesh*) – A mesh.
- **second_mesh** (*lace.mesh.Mesh*) – Another mesh.

Returns *True* if meshes have the same topology

Return type bool

1.2.4 entente.restore_correspondence module

1.2.5 entente.rigid_transform module

1.2.6 entente.shuffle module

`entente.shuffle.shuffle_faces(mesh)`

Shuffle the mesh's face ordering. The mesh is mutated.

Parameters **mesh** (*lace.mesh.Mesh*) – A mesh.

Returns *fxl* mapping of old face indices to new.

Return type np.ndarray

`entente.shuffle.shuffle_vertices(mesh)`

Shuffle the mesh's vertex ordering, preserving the integrity of the faces. The mesh is mutated.

Parameters `mesh` (`lace.mesh.Mesh`) – A mesh.

Returns `vx1` mapping of old vertex indices to new.

Return type `np.ndarray`

1.2.7 entente.symmetry module

CHAPTER 2

Indices and tables

- genindex
- modindex
- search

Python Module Index

e

entente,[1](#)
entente.composite,[2](#)
entente.equality,[3](#)
entente.landmarks,[1](#)
entente.landmarks.landmark_compositor,
 [1](#)
entente.landmarks.landmarker,[2](#)
entente.shuffle,[3](#)

Index

A

```
add_example()           (en- shuffle_faces() (in module entente.shuffle), 3
    entente.landmarks.landmark_compositor.LandmarkCompositor_vertices() (in module entente.shuffle), 3
    method), 1
attr_has_same_shape()   (in module entente.attr_has_same_shape, 3
    entente.equality), 3
attr_is_equal()         (in module entente.equality), 3
composite_meshes()     (in module entente.composite, 2
    entente.composite), 2
```

C

E

```
entente (module), 1
entente.composite (module), 2
entente.equality (module), 3
entente.landmarks (module), 1
entente.landmarks.landmark_compositor
    (module), 1
entente.landmarks.landmarker (module), 2
entente.shuffle (module), 3
```

H

```
have_same_topology()   (in module entente.attr_has_same_shape, 3
    entente.equality), 3
```

L

```
LandmarkCompositor      (class in entente.landmarks.landmark_compositor,
    1
Landmarker (class in entente.landmarks.landmarker),
    2
load()      (entente.landmarks.landmarker.Landmarker
    class method), 2
```

R

```
result (entente.landmarks.landmark_compositor.LandmarkCompositor
    attribute), 1
```

S

```
shuffle_faces()          (in module entente.shuffle), 3
    entente.landmarks.landmark_compositor.LandmarkCompositor_vertices() (in module entente.shuffle), 3
    method), 1
transfer_landmarks_onto() (in module entente.transfer_landmarks_onto, 2
    entente.landmarks.landmarker.Landmarker
    method), 2
```

T